



|| Jai Sri Gurudev ||
Sri Adichunchanagiri Shikshana Trust ®

SJC INSTITUTE OF TECHNOLOGY

Estd: 1986

Chickballapur – 562 101

Department of Aeronautical Engineering IA Evaluation Rubrics

Gas Turbine Technology-18AE644

SL	USN	Name	IA-3					Total Marks	
			Q1/Q2 CO3	Q3/Q4 CO3	Q5/Q6 CO4	Q7/Q8 CO4	Q9/Q10 CO4		
1	ISJ18AE001	ABDUL RAHMAN J	10	10	10	10	10	50	30
2	ISJ18AE003	AKASH M	10	10	10	10	10	50	30
3	ISJ18AE004	AKASH SIDDANGOUDA PATIL	10	10	10	10	10	50	30
4	ISJ18AE006	ANNASAGARAM GOWTHAMI	10	10	10	10	10	50	30
5	ISJ18AE007	ANUSHREE N	10	10	10	10	10	50	30
6	ISJ18AE008	ARAVIND R NAIDU	10	10	10	10	10	50	30

7	ISJ18AE009	ARJI BHARATH	10	10	10	10	10	10	10	50	30
8	ISJ18AE011	BHAVANA A J	10	10	10	10	10	10	10	50	30
9	ISJ18AE012	BINDUSHREE K	10	10	10	10	10	10	10	50	30
10	ISJ18AE014	CHAVVALI BHIMA SANKARAM	10	10	10	10	10	10	10	50	30
11	ISJ18AE015	CHIDANANDA	10	10	10	10	10	10	10	50	30
12	ISJ18AE016	DHANUSH KUMAR B K	10	10	10	10	10	10	10	50	30
13	ISJ18AE017	DURGAPRASAD N S	10	10	10	10	10	10	10	50	30
14	ISJ18AE018	GIRIDHAR S									AB
15	ISJ18AE019	GIRISH N	10	10	10	10	10	10	10	50	30
16	ISJ18AE021	HARSHA D S	10	10	10	10	10	10	10	50	30
17	ISJ18AE022	HARSHITH L	10	10	10	10	10	10	10	50	30
18	ISJ18AE023	HARSHITHA K	10	10	10	10	10	10	10	50	30
19	ISJ18AE024	HEMANTH B S	10	10	10	10	10	10	10	50	30
20	ISJ18AE025	JANAPAREDDI SAIKUMAR	10	10	10	10	10	10	10	50	30
21	ISJ18AE026	K KEERTHIVARDHAN									AB
22	ISJ18AE027	KOLLANA YESWANTH	9	9	9	9	9	9	9	45	27
23	ISJ18AE028	MAHIMA T S	10	10	10	10	10	10	10	50	30
24	ISJ18AE029	MANIKYA G	10	10	10	10	10	10	10	50	30
25	ISJ18AE031	MANOJ S	10	10	10	10	10	10	10	50	30

26	ISJ18AE032	MANOJ SINGH H	10	10	10	10	10	10	10	50	30
27	ISJ18AE033	MARIYAMBI T S	10	10	10	10	10	10	10	50	30
28	ISJ18AE034	MEGHASHREE M S	10	10	10	10	10	10	10	50	30
29	ISJ18AE035	MOHAMMED AZAM	10	10	10	10	10	10	10	50	30
30	ISJ18AE036	MONIKA CHAVVAN A	10	10	10	9	9	9	9	48	29
31	ISJ18AE037	MYTHRI C	10	10	10	10	10	10	10	50	30
32	ISJ18AE038	NAGAMANI J V	10	10	10	10	10	10	10	50	30
33	ISJ18AE039	NAGESH D R	10	10	10	10	10	10	10	50	30
34	ISJ18AE040	PRAJAKTA S LOKHANDE	10	10	10	10	10	10	10	50	30
35	ISJ18AE041	PRAMODGOWDA T S	10	10	10	10	10	10	10	50	30
36	ISJ18AE042	PRASAD BELGUNDKAR	10	10	10	10	10	10	10	50	30
37	ISJ18AE043	RACHANA J	10	10	10	10	10	10	10	50	30
38	ISJ18AE044	RAHUL P	10	10	10	10	10	10	10	50	30
39	ISJ18AE045	RAKESH S	10	10	10	10	10	10	10	50	30
40	ISJ18AE046	RAMYAKRISHNA K	10	10	10	10	10	10	10	50	30
41	ISJ18AE048	RAVINDRA SREE CHENDAN SAI	9	9	9	9	9	9	9	45	27
42	ISJ18AE049	SAI KEERTHAN B L	9	9	9	9	9	9	9	45	27
43	ISJ18AE050	SAMPURTHA A R	10	10	10	10	10	10	10	50	30
44	ISJ18AE051	SOWBHAGYA M R	10	10	10	10	10	10	10	50	30

45	ISJ18AE052	SRIDHAR K R	10	10	10	10	10	10	50	30
46	ISJ18AE053	UJWAL N	10	10	10	10	10	10	50	30
47	ISJ18AE054	UMESH RANA	9	10	9	10	10	10	48	29
48	ISJ18AE055	USHA G	10	10	10	10	10	10	50	30
49	ISJ18AE056	VAISHAK M	7	7	7	7	7	7	35	21
50	ISJ18AE057	VARUN M	10	10	10	10	10	10	50	30
51	ISJ18AE058	VEERESH	10	10	10	10	10	10	50	30
52	ISJ18AE059	VIGNESH GOWDA P	10	10	10	10	10	10	50	30
53	ISJ18AE060	YASHWANTH R	10	10	10	10	10	10	50	30
54	ISJ18AE061	YASHWANTH S	10	10	10	10	10	10	50	30
55	ISJ18AE062	YASHWANTH T H	10	10	10	10	10	10	50	30
56	ISJ18AE064	NARINDER KUMAR	9	9	9	9	9	9	45	27
57	ISJ18AE065	MOHAN REDDY	10	10	10	10	10	10	50	30

Chandy M B
9/8/21
Faculty In-Charge

HOD



Estd: 1986

SJC INSTITUTE OF TECHNOLOGY

Chickballapur – 562 101

|| Jai Sri Gurudev ||
Sri Adichunchanagiri Shikshana Trust ®

Department of Aeronautical Engineering

IA Evaluation Rubrics

Gas Turbine Technology-18AE644

SL	USN	Name	IA-2					Total Marks	
			Q1/Q2 CO1 L2	Q3/Q4 CO1 L2	Q5/Q6 CO2 L2	Q7/Q8 CO2 L2	Q9/Q10 CO2 L2		
1	ISJ18AE001	ABDUL RAHMAN J	10	10	10	10	10	50	30
2	ISJ18AE003	AKASH M	10	10	10	10	10	50	30
3	ISJ18AE004	AKASH SIDDANGOUNDA PATIL	10	10	10	10	10	50	30
4	ISJ18AE006	ANNASAGARAM GOWTHAMI	10	10	10	10	10	50	30
5	ISJ18AE007	ANUSHREE N	10	10	10	10	10	50	30
6	ISJ18AE008	ARAVIND R NAIDU	10	10	9	9	10	48	29

7	ISJ18AE009	ARJI BHARATH	6	6	6	6	6	6	6	30	18
8	ISJ18AE011	BHAVANA A J	9	9	9	9	9	9	9	45	27
9	ISJ18AE012	BINDUSHREE K	10	10	9	9	10	10	10	48	29
10	ISJ18AE014	CHAVVALI BHIMA SANKARAM	7	8	8	8	9	9	9	40	24
11	ISJ18AE015	CHIDANANDA	7	7	7	7	7	7	7	35	21
12	ISJ18AE016	DHANUSH KUMAR B K	10	10	9	9	10	10	10	48	29
13	ISJ18AE017	DURGAPRASAD N S	10	10	10	10	10	10	10	50	30
14	ISJ18AE018	GIRIDHAR S									AB
15	ISJ18AE019	GIRISH N	10	10	10	10	10	10	10	50	30
16	ISJ18AE021	HARSHA D S	9	9	9	9	9	9	9	45	27
17	ISJ18AE022	HARSHITH L	10	10	9	9	9	10	10	48	29
18	ISJ18AE023	HARSHITHA K	10	10	9	9	9	10	10	48	29
19	ISJ18AE024	HEMANTH B S	10	10	9	9	9	10	10	48	29
20	ISJ18AE025	JANAPAREDDI SAIKUMAR	10	10	10	10	10	10	10	50	30
21	ISJ18AE026	K KEERTHIVARDHAN	9	9	9	9	9	9	9	45	27
22	ISJ18AE027	KOLLANA YESWANTH	9	9	9	9	9	9	9	45	27
23	ISJ18AE028	MAHIMA T S	10	10	10	10	10	10	10	50	30
24	ISJ18AE029	MANIKYA G	9	9	9	9	9	9	9	45	27
25	ISJ18AE031	MANOJ S	10	10	9	9	10	10	10	48	29

26	ISJ18AE032	MANOJ SINGH H	9	9	9	9	9	9	45	27
27	ISJ18AE033	MARIYAMBI T S	10	10	10	10	10	10	50	30
28	ISJ18AE034	MEGHASHREE M S	10	10	10	10	10	10	50	30
29	ISJ18AE035	MOHAMMED AZAM	9	10	10	9	10	10	48	29
30	ISJ18AE036	MONIKA CHAVVAN A	9	10	10	9	10	10	48	29
31	ISJ18AE037	MYTHRI C	8	8	8	8	8	8	40	24
32	ISJ18AE038	NAGAMANI J V	10	10	10	10	10	10	50	30
33	ISJ18AE039	NAGESH D R	10	10	10	10	10	10	50	30
34	ISJ18AE040	PRAJAKTA S LOKHANDE	10	10	10	10	10	10	50	30
35	ISJ18AE041	PRAMODGOWDA T S	9	10	10	9	10	10	48	29
36	ISJ18AE042	PRASAD BELGUNDKAR	10	10	10	10	10	10	50	30
37	ISJ18AE043	RACHANA J	9	9	9	9	9	9	45	27
38	ISJ18AE044	RAHUL P	9	9	9	9	9	9	45	27
39	ISJ18AE045	RAKESH S	9	10	10	9	10	10	48	29
40	ISJ18AE046	RAMYAKRISHNA K	10	10	10	10	10	10	50	30
41	ISJ18AE048	RAVINDRA SREE CHENDAN SAI	10	10	10	10	10	8	48	29
42	ISJ18AE049	SAI KEERTHAN B L	8	8	8	8	8	8	40	24
43	ISJ18AE050	SAMPURTHA A R	10	10	10	10	10	10	50	30
44	ISJ18AE051	SOWBHAGYA M R	10	10	10	10	10	10	50	30

SICIT

IA Evaluation Rubrics

45	ISJ18AE052	SRIDHAR K R	9	10	10	9	10	48	29
46	ISJ18AE053	UJWAL N	9	9	9	9	9	45	27
47	ISJ18AE054	UMESH RANA	9	10	10	9	10	48	29
48	ISJ18AE055	USHA G	10	10	10	10	10	50	30
49	ISJ18AE056	VAISHAK M	9	9	9	9	8	35	21
50	ISJ18AE057	VARUN M	8	8	8	8	8	40	24
51	ISJ18AE058	VEERESH	7	7	7	7	7	35	21
52	ISJ18AE059	VIGNESH GOWDA P	9	10	10	9	10	48	29
53	ISJ18AE060	YASHWANTH R	9	9	9	9	9	45	27
54	ISJ18AE061	YASHWANTH S	9	9	9	9	9	45	27
55	ISJ18AE062	YASHWANTH T H	9	9	9	9	9	45	27
56	ISJ18AE064	NARINDER KUMAR	6	6	6	6	6	30	18
57	ISJ18AE065	MOHAN REDDY	10	10	10	10	10	50	30

Chandrababu MB
Faculty In-Charge 30/6/21

HOD



Estd: 1986

SJC INSTITUTE OF TECHNOLOGY

Chickballapur – 562 101

|| Jai Sri Gurudev ||
Sri Adichunchanagiri Shikshana Trust ®

I-IA

Department of Aeronautical Engineering

IA Evaluation Rubrics

Gas Turbine Technology-18AE644

SL	USN	Name	IA-1							Total Marks	
			Q1/Q2 CO1 L2	Q3/Q4 CO1 L2	Q5/Q6 CO1 L2	Q7/Q8 CO1 L2	Q9/Q10 CO1 L2				
1	ISJ18AE001	ABDUL RAHMAN J	10	10	10	10	10	10	50	30	
2	ISJ18AE003	AKASH M	9	9	8	9	7	42	25		
3	ISJ18AE004	AKASH SIDDANGOUDA PATIL	10	10	10	9	9	48	29		
4	ISJ18AE006	ANNASAGARAM GOWTHAMI	10	10	10	10	10	50	30		
5	ISJ18AE007	ANUSHREE N	10	10	10	10	10	50	30		
6	ISJ18AE008	ARAVIND R NAIDU	10	10	10	10	10	50	30		

7	ISJ18AE009	ARJI BHARATH	10	10	10	10	10	10	10	50	30
8	ISJ18AE011	BHAVANA A J	10	10	10	10	10	10	10	50	30
9	ISJ18AE012	BINDUSHREE K	10	10	10	10	10	10	10	50	30
10	ISJ18AE014	CHAVVALI BHIMA SANKARAM	10	10	10	10	10	10	10	50	30
11	ISJ18AE015	CHIDANANDA	9	9	9	9	9	9	9	45	27
12	ISJ18AE016	DHANUSH KUMAR B K	10	10	10	10	10	10	10	50	30
13	ISJ18AE017	DURGAPRASAD N S	10	10	10	10	10	10	10	50	30
14	ISJ18AE018	GIRIDHAR S									AB
15	ISJ18AE019	GIRISH N	10	10	10	10	10	10	10	50	30
16	ISJ18AE021	HARSHA D S	9	9	9	9	9	9	9	45	27
17	ISJ18AE022	HARSHITH L	10	10	10	10	10	10	10	50	30
18	ISJ18AE023	HARSHITHA K	10	10	10	10	10	10	10	50	30
19	ISJ18AE024	HEMANTH B S	10	10	10	10	10	10	10	50	30
20	ISJ18AE025	JANAPAREDDI SAIKUMAR	10	10	10	10	10	10	10	50	30
21	ISJ18AE026	K KEERTHIVARDHAN	9	9	9	9	9	9	9	45	27
22	ISJ18AE027	KOLLANA YESWANTH	9	9	9	9	9	9	9	45	27

39	1SJ18AE045	RAKESH S	10	10	10	9	9	48	29
40	1SJ18AE046	RAMYAKRISHNA K	10	10	10	10	10	50	30
41	1SJ18AE048	RAVINDRA SREE CHENDAN SAI	8	8	8	8	8	40	24
42	1SJ18AE049	SAI KEERTHAN B L	8	8	8	8	8	40	24
43	1SJ18AE050	SAMPRUTHA A R	10	10	10	10	10	50	30
44	1SJ18AE051	SOWBHAGYA M R	10	10	10	10	10	50	30
45	1SJ18AE052	SRIDHAR K R	10	10	10	10	10	50	30
46	1SJ18AE053	UJWAL N	10	10	10	10	10	50	30
47	1SJ18AE054	UMESH RANA							AB
48	1SJ18AE055	USHA G	10	10	10	10	10	50	30
49	1SJ18AE056	VAISHAK M	9	9	9	9	8	44	26
50	1SJ18AE057	VARUN M	9	9	9	9	8	44	26
51	1SJ18AE058	VEERESH	7	7	7	7	7	35	21
52	1SJ18AE059	VIGNESH GOWDA P	10	10	10	10	10	50	30
53	1SJ18AE060	YASHWANTH R	8	8	8	8	8	40	24
54	1SJ18AE061	YASHWANTH S	10	10	10	10	10	50	30

23	ISJ18AE028	MAHIMA T S	10	10	10	10	10	10	10	50	30
24	ISJ18AE029	MANIKYA G	10	10	10	9	9	48	29	AB	
25	ISJ18AE031	MANOJ S									
26	ISJ18AE032	MANOJ SINGH H	10	10	10	9	9	48	29		
27	ISJ18AE033	MARIYAMBI T S	10	10	10	10	10	50	30		
28	ISJ18AE034	MEGHASHREE M S	10	10	10	10	10	50	30		
29	ISJ18AE035	MOHAMMED AZAM	10	10	10	10	10	50	30		
30	ISJ18AE036	MONIKA CHAVVAN A	10	10	10	10	10	50	30		
31	ISJ18AE037	MYTHRI C	10	10	10	9	9	48	29		
32	ISJ18AE038	NAGAMANI J V	10	10	10	10	10	50	30		
33	ISJ18AE039	NAGESH D R	10	10	10	10	10	50	30		
34	ISJ18AE040	PRAJAKTA S LOKHANDE	10	10	10	10	10	50	30		
35	ISJ18AE041	PRAMODGOWDA T S	10	10	10	10	10	50	30		
36	ISJ18AE042	PRASAD BELGUNDKAR	10	10	10	10	10	50	30		
37	ISJ18AE043	RACHANA J	10	10	10	10	10	50	30		
38	ISJ18AE044	RAHUL P	10	10	10	9	9	48	29		

SJCIT

IA Evaluation Rubrics

55	ISJ18AE062	YASHWANTH T H	9	9	9	9	10	46	27
56	ISJ18AE064	NARINDER KUMAR	8	8	8	8	8	40	24
57	ISJ18AE065	MOHAN REDDY	10	10	10	10	10	50	30

Chowdhury
Faculty In-Charge 31/5/21

HOD



DEPARTMENT: AERONAUTICAL ENGINEERING




Scheme & Solutions- TEST- I/II/III

Date: 06/08/21

Semester: VI

Subject Title: Gas turbine technology


Subject Code: 18AEG44

Question Number	Solution	Marks Allocated
1	<p>compressor map for testing and performance</p> <ul style="list-style-type: none"> * Ignoring second order phenomena such as surges for a fixed inlet flow angle. * No rotating inlet distortion the following apply * For a fixed compressor geometry the map is unique * Each operating point on the map has a unique velocity triangle.  <p>$U = \sqrt{r} / \rho$ axial compressor maps</p> <p>Reynolds number and T_0 effects:</p> <p>When Re falls below the critical values viscous flow effects have 2nd order effects leading to lower flow, pressure ratio & efficiency</p>  <p>$N = \sqrt{r} / \rho^2 * r$ reynold's number</p> <p>The compressor map effect of long compressor maps into engine off design performance models beta lines, a plot of pressure ratio v/s flow.</p> 	<p>1</p> <p>1</p> <p>1</p> <p>2</p> <p>1</p> <p>2</p> <p>1</p> <hr/> <p>10</p>




Subject Title: Gas turbine technology

Subject Code: 18 AE64A

Question Number	Solution	Marks Allocated
2	<p>once the turbine geometry has been fixed at the design point then the turbine maps may be generated to define its performance under all off design conditions.</p>  <p style="text-align: center;">DIT (E & P) R</p> <p>capacity, efficiency and exit swirl angle are plotted for lines of constant referred speed versus the work parameter. This operating regime is termed choke.</p> <p>Ignoring second order phenomena such as Reynolds number effects,</p> <ul style="list-style-type: none"> • For a fixed turbine geometry the map is unique • Each operating point on the maps has a unique velocity triangle. <p>The turbine test prior to engine testing, are only carried out for the highest technology engines. The turbine output is absorbed by a water brake.</p>	1 1 2 1 2 2 1 <hr/> 10
3	<p>For subsonic intakes, ram recovery at off design conditions is calculated in the same fashion as for other ducts using either lambda or alpha.</p> <p>However for supersonic intakes there is additional loss of total pressure ratio across the shock.</p> <p>The pressure loss in the downstream section must be derived and the two values multiplied together to give an overall exit pressure.</p>	2 2 1

Subject Title: Gas turbine technology

Subject Code: 18AEG44

Question Number	Solution	Marks Allocated
	<p>If needed, the overall ram recovery factor can then be calculated from formula. At a flight Mach number of 2, typically 8-10% of free stream total pressure will be lost in the intake system</p> <p>i. Pressure ratio for supersonic intake shows $P_1 = P_0 * (1 - 0.075 * (M-1) * 1.35)$</p> <p>ii. Ram Recovery factor = f_r $RRF = (P_1 - P_{amb}) / (P_0 - P_{amb})$</p>	<p>2 1 1 1 <hr/>10</p>
4	<p>Inlet distortion, which is spatial variation of inlet pressure or temperature can significantly affect the overall compressor map.</p> <p>The D50 coefficient is usually employed to quantify the degree of inlet pressure distortion this is the difference between the average total pressure in the most distorted 60° sector and the 360° intake divided by the</p> <ul style="list-style-type: none"> * -0.2 for a civil subsonic transport * -0.9 for a military fighter aircraft * less than -0.1 is usual for industrial, marine automotive engines 	<p>1 1 1 1 1 1 1 1 1 1 <hr/>10</p>
		<p>2 1 1 <hr/>10</p>

Subject Title: Gas turbine technology

Subject Code: 18AEE644

Question Number	Solution	Marks Allocated
	<ul style="list-style-type: none"> • Better simulation of functional effects such as carcass loads and inlet distortion • Lower capital cost 	1
	<ul style="list-style-type: none"> * Propelling nozzle thrust coefficient and capacity are measured directly, from rig and engine tests, ideally in an ATF. 	2
	<ul style="list-style-type: none"> • Nozzle mass flow may now be calculated, along with exit velocity. 	1
	<ul style="list-style-type: none"> • Fuel flow is measured directly 	1
	<ul style="list-style-type: none"> • Inlet air flow may now be calculated 	1
	<ul style="list-style-type: none"> • Net thrust is the difference between the total exit and inlet momentum 	10
7	<p>Preliminary flight rating test</p> <ul style="list-style-type: none"> * Endurance test * Power lever torque * Engine component tests * Altitude test * Engine pressure test * Rotor structural integrity test * Engine static load test * vibration test * critical speeds * Vibration and stress analysis <p>Qualification test (QT)</p> <ul style="list-style-type: none"> * Endurance test * Environmental ingestion * Life assessment test * Reliability 	1 x 10 = 10



Subject Title: Gas turbine technology

Subject Code: 18 AEG14

Question Number	Solution	Marks Allocated
8	<ul style="list-style-type: none"> * Humidity * Fungus * Corrosion susceptibility * Armament gas ingestion * Nuclear hardening * Infrared radiation test <p>Acceptance test:- Acceptance tests are conducted on each engine submitted for delivery. These tests are subset of QT, prepared by engine contractor and submitted for approval by user service as an acceptance test procedure (APT) document.</p> <p>Acceptance tests of gas turbines with emission control and for power augmentation devices that are based on fluid injection and for inlet air treatment.</p> <p>Reliability test:-</p> <ul style="list-style-type: none"> • Reliability is the ability to perform a required function under stated conditions for a stated period of time. • Reliability qualification involves three phases:- apportionment, prediction and analysis. Maintainability qualification follow a similar approach <p>* Failure mode, effect and critically analysis and fault tree analysis are helpful qualitative tools for design assurance.</p>	<p>1</p> <p>1</p> <p>1</p> <p>2</p> <p>1</p> <p>1</p> <p>1</p> <p>2</p> <hr/> <p>10</p>

Subject Title: Gas turbine technology

Subject Code: 18AEG44

Question Number	Solution	Marks Allocated
	<p>engine are the turbine and disks</p> <ul style="list-style-type: none"> * blades must also resist the high bending loads * Engine vibration and fatigue resistance will also have same influence on the selection of blades & disks. <p>(iii) Resistance to oxidation and corrosion:-</p> <ul style="list-style-type: none"> * Corrosion and oxidation are results of electrical & chemical reactions with other materials. * One solution to the problem of oxidation at elevated temp has been the development & use of ceramic coating. 	
9	Heat ranges of Metals	2
	<p>Aluminium alloys:-</p> <ul style="list-style-type: none"> • used in temperature ranges up to 260°C, with low density, good strength-to-weight ratios, aluminium forgings & castings are used extensively 	2
	<p>Titanium alloys:-</p> <ul style="list-style-type: none"> • used for centrifugal-flow rotors, axial-flow compressor wheels and blades, high strength with low density, suitable for applications up to 538°C 	2
	<p>Steel alloys:-</p> <ul style="list-style-type: none"> • This group includes high-chromium & high-nickel iron base alloys, relatively low material cost, ease of fabrication, and good mechanical properties, low-alloy steels are commonly used 	2
	<p>Nickel-Base alloys:-</p> <ul style="list-style-type: none"> • These constitute some of the best metals. used in turbine wheels, shafts, spacers etc 	2
	<p>Cobalt-Base alloys:-</p> <ul style="list-style-type: none"> • used in afterburners, turbine vanes and blades etc 	2
		10



Subject Title: Gas turbine technology

Subject Code: 18AEG44

Question Number	Solution	Marks Allocated
10	<p>Ceramics:-</p> <ul style="list-style-type: none"> * Experiments are being performed using ceramic materials in many of the engines hot-section parts * Glass ceramics reinforced with fibers - also show promise for use in gas turbine engines * Advances in material development and new cooling techniques have allowed modern engines to be designed. <p>Composite materials</p> <ul style="list-style-type: none"> * Relatively new types of materials called composites are coming to the foreground for use in both air frames and engines. * In these products graphite, glass or boron filaments are embedded in an epoxy-resin matrix or base substance. 	<p>1</p> <p>1</p> <p>2</p> <p>1</p> <p>2</p> <p>2</p> <p>1</p> <hr/> <p>10</p>
	<p><u>Cherry MB</u> 2/8/21 [Faculty Incharge]</p>	



DEPARTMENT: AERONAUTICAL ENGINEERING

Scheme & Solutions- TEST- I/II/III

Date: 26/6/21

Semester: VI

Subject Title: Gas turbine Technology

Subject Code: 18AEG44

Question Number	Solution	Marks Allocated
①	<p>FADEC is primarily an interface between the engine and aircraft. It affects the engine in the following manner.</p> <ul style="list-style-type: none"> • Efficiency of engine is improved by controlling the following variable stator vanes, Nacelle cooling and engine oil cooling. Engine is protected by limited critical speeds and pressures thrust and over boost • Engine maintenance made easier by incorporation for system for engine monitoring, self-testing and fault isolation. <p>FADEC interface with engine</p> <p>Inputs to the FADEC from engine.</p> <ul style="list-style-type: none"> • N_2 rpm and power, comes from the FADEC alternator and is used for limiting scheduling system and setting engine speeds. • N_1 rpm, which comes from FADEC transducer • exhaust gas temperature (T_{EGT}), oil temperature (T_{oil}) comes from the main gearbox. • Inlet total pressure (P_T), comes from the inlet cool. • Burner pressure (P_b), comes from diffuser case. 	<p>1 1 1 1 1 1 1 1 1 1 10</p>
②	<p>Typical oil systems and its components</p> <p>The oil - system component used on gas turbine are-</p> <p>(1) oil Tanks (2) (ii) Pressure pumps (3) scavenger pumps (4) Filters (5) oil coolers (6) Relief valves (7) pressure and temperature gauges (8) Temperature regulating valve</p>	<p>1 1 1</p>



Question Number	Solution	Marks Allocated
3	<p>(9) oil jet nozzles (10) fitting, valves and plumbing (11) seals.</p> <p>oil tanks:- Tanks can be either an airframe-supplied or engine-manufacturer supplied unit. usually constructed of welded sheet aluminium or steel, the tank provides a storage place for the oil</p> <p>Pressure pumps: Both the gear-and gerotor-type pumps are used in the lubricating system of the turbine engine. The pressure developed is proportional to engine rpm up to the time the relief valve opens.</p> <p>Filters:- The three basic types of oil filters for the jet engine are the cartridge, screen, and screen-disk types. The cartridge filter must be replaced periodically, while the other two can be cleaned and reused.</p> <p>oil cooler:- The oil cooler is used to reduce the temperature of the oil by transmitting heat from the oil to another fluid.</p> <p>seals:- Dynamic seals are used in gas turbine engines</p> <ul style="list-style-type: none"> • Rubbing or contact seals • Non rubbing labyrinth or clearance seals <p>Typical fuel system consists of</p> <ul style="list-style-type: none"> • Fuel pump • fuel control • overspeed governor • Fuel oil cooler • fuel pressurizing valve • fuel manifolds • Fuel manifold drain valve • Fuel nozzles • Actuator assembly • Bleed valves • Fuel flowmeter. 	10

Subject Title: Gas Turbine technology

Subject Code: 18AEG44

Question Number	Solution	Marks Allocated
	<p>fuel pump:- The fuel pump comprises a single element, Positive displacement pump, centrifugal boost pump, filter and bypass circuit with a pressure-relief valve.</p> <p>Fuel control:- The fuel control is mounted on and driven by the fuel pump. The fuel-regulating section meters fuel to the engine under all operating conditions</p> <p>Fuel oil cooler:- The oil cooler is used to reduce the temperature of the oil by transmitting heat from the oil</p> <p>Fuel nozzle:- Twelve fuel nozzles, mounted on the main frame, spray atomized fuel into the combustion chamber.</p>	<p>2 1 1 1 <u>2</u> 10</p>
4	<ul style="list-style-type: none"> * Electric motor starter * Electric motor generator (starter generator) * Pneumatic or air turbine starter * cartridge or solid propellant starter * fuel-air combustion starter * Gas turbine starter (jet fuel starts) * hydraulic motor starter * Liquid monopropellant starter. * Air-impingement starter * Hand-crank starter 	<p>1x10 =10</p>


Subject Title: Gas turbine technology

Subject Code: 18AE64

Question Number	Solution	Marks Allocated
5	<p>Transient performance :-</p> <p>Transient performance deals with the operating regime where engine performance parameters are changing with time. Engine operation during transient maneuvers is often referred to as handling.</p> <p>Transient performance phenomena</p> <p>Heat soakage :-</p> <ul style="list-style-type: none"> • During transient operation there are significant net heat fluxes between the working fluid and the engine metal. This net heat transfer from the working fluid to the metal is termed heat soakage and has a significant effect on engine <p>Volume packing :-</p> <ul style="list-style-type: none"> • During steady state operation the mass flow entering a given volume, such as a duct, is equal to that leaving <p>Tip clearance changes :-</p> <ul style="list-style-type: none"> • During an accel the thermal growth of the compressor or turbine discs is slower than the pressure and thermal growth of casings to be increased. <p>Heat transfer within multi-stage components :-</p> <p>where a single map is used to model a multi-stage component such as an axial flow compressor,</p> <ul style="list-style-type: none"> • combustion delay • control system delays and lags <p>In addition, control system sensors measuring parameters such as pressures and temperatures will show delays.</p>	<p>2</p> <p>2</p> <p>2</p> <p>2</p> <p>2</p> <p>10</p>

Subject Title: Gas turbine technology

Subject Code: 18AE644

Question Number	Solution	Marks Allocated
6	<p>Start phases:-</p> <p>The key phases of a start are briefly defined below. Each is then comprehensively described in ensuing sections</p> <p>Dry cranking:-</p> <ul style="list-style-type: none"> The engine HP shaft is rotated by the starter with no fuel being metered to the combustor  <p>Two spool gas generator plus free power turbine powergen engine</p> <p>Purging:-</p> <ul style="list-style-type: none"> The engine is decelerated to a max speed the starter can sustain, which purges any fuel into the atmosphere purging is required for all starts and restarts with gas fuel and may be used for liquid fuel <p>Acceleration of idle:-</p> <ul style="list-style-type: none"> Fuel flow is steadily increased causing the engine to accelerate towards idle very much as per the above idle acceleration. <p>Thermal sootage:-</p> <ul style="list-style-type: none"> Engines are often held at idle to allow the carcasses to thermally soak to the new temperature to preserve cyclic life. 	<p>2</p> <p>2</p> <p>2</p> <p>2</p> <p>2</p> <p>10</p>




Subject Title: Gas turbine technology

Subject Code: 18AEE04A

Question Number	Solution	Marks Allocated
7	<p>Surge margin is defined by:</p> $SM = 100 \times \frac{PR_{surge} \times PR_{working\ line}}{PR_{working\ line}}$ <ul style="list-style-type: none"> * This is the internationally accepted SAE definition, * The minimum steady state surge margin required will depend upon the engine configuration and application requirements * The power or thrust level at which the minimum surge margin occurs will also vary. * For each engine application the worst operating conditions and transient requirements vary and it is not possible to cover all combinations * Once the required margins have been achieved, the values resulting at some other single operating condition may be compared for different engine types. 	<p>2</p> <p>1</p> <p>1</p> <p>1</p> <p>2</p> <p>2</p> <p>1</p> <hr/> <p>10</p>
8	<p>(a) Referred fuel flow versus referred speed</p> <p>Referred fuel flow</p> <p>Rated thrust</p> <p>nozzle choke</p> <p>low flight mach number</p> <p>windmill points at low fuel flow</p> <p>high flight mach number</p> <p>Referred mass flow</p> <p>windmill points</p> <p>low flight mach number</p>	<p>2</p> <p>2</p> <p>1</p>

Subject Title: Gas turbine technology

Subject Code: 18AE644

Question Number	Solution	Marks Allocated
	<p>(b) Referred mass flow versus referred speed</p>  <p>(c) compressor working points</p> <p>windmilling occurs when air flowing through an unit engine causes speed rotation. This phenomenon applies mostly to aircraft engines.</p>	<p>1</p> <p>2</p> <p>1</p> <p>1</p> <hr/> <p>10</p>
<p>9</p>	<ul style="list-style-type: none"> * Engine performance parameters * cycle design parameters * Mechanical design parameters * Life parameters * fuel type <p>(i) cycle design parameters :-</p> <p>Changes in component performance parameters have a secondary effect on the optimum values</p> <ul style="list-style-type: none"> * overall pressure ratio * stator outlet temperature * Fan pressure ratio * By pass ratio <p>(ii) Mechanical design parameters :-</p> <ul style="list-style-type: none"> * creep as a function of material type, metal, temperature, stress level or AN, * oxidation as a function of material and coating type and metal temperature * shaft critical speed * Choke or stall flutter as a function of fan 	<p>2</p> <p>2 * 2 = 4</p> <p>2 * 2 = 4</p> <hr/> <p>10</p>



Subject Title: Gas turbine technology


Subject Code: 18AEG49

Question Number	Solution	Marks Allocated
10	<p>A method of monitoring the gas turbine engine's day-to-day condition has been adopted by many operators. In this system the EPR rpm, F/A fuel flow, EGT (exhaust gas temperature), and throttle position are used to determine the aerodynamic performance of the engine. While vibration amplitude and oil consumption is used.</p> <p>Although specific procedure will vary from operator to operator, in general.</p> <p>Engine performance monitoring is proving to be a very effective method of providing early warning information of ongoing or impending failures, thus reducing unscheduled delays and more serious engine failures.</p>	<p>1</p> <p>10</p>
	<p>Cherief MB 26/6/21 [Faculty In charge]</p>	




Subject Title: Gas turbine technology

Subject Code: 18AE644




Question Number	Solution	Marks Allocated
<p>2</p>	 <p>Working principle:</p> <ul style="list-style-type: none"> • A turbofan engine has a large fan at the front, which sucks in air. • compared to a turbojet engine, turbofan engine has better propulsion efficiency. • turbofan engine drives its propulsion by conversion of gas stream energy into mechanical power to drive the compressor. <p>Advantages:-</p> <ul style="list-style-type: none"> • It has higher thrust at takeoff and better fuel economy. • The frontal area is less than propeller engines so that drag is reduced, easy to maintain <p>Disadvantages:-</p> <ul style="list-style-type: none"> • The main disadvantage is that at high speed, due to shock and flow separation. • It requires a reduction gear which increases the cost and also consumes certain amount of energy. 	<p>2</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>2</p> <p>2</p> <hr/> <p>10</p>
<p>3</p>	<p>(i) Thrust reversal method:-</p> <p>A jet powered aircraft during its landing run, lacks the braking action afforded by slow turning propellers, which on larger aircraft are capable of going into reverse pitch giving reverse thrust.</p> <p>Types of thrust reversers</p>	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>100</p>


Subject Title: Gas turbine technology

Subject Code: 18AEG44

Question Number	Solution	Marks Allocated
	<p>Two basic types</p> <ul style="list-style-type: none"> • postexit or target type / clamshell • preexit using cascades or blocker / deflector doors  <p>(ii) Thrust augmentation:- water injection:- A reduction in atmospheric pressure due to increasing altitude or temperature will therefore cause a reduction in thrust or shaft horse-power. Power under these circumstances can be restored or even boosted as much as 10 to 30% for take off by the use of water injection.</p>	<p>2</p> <p>2</p> <p>2</p> <hr/> <p>10</p>
4	<p>(i) The noise problem created by commercial and military jet takeoffs, landings, and ground operations at airports near residential areas has become serious within the last several years. The decibel (dB) is defined as approximately the smallest degree of difference of loudness ordinarily detectable by the human ear, the range of which includes about 130 dB.</p> <p>(ii) convergent divergent nozzle:-</p> <ul style="list-style-type: none"> • If the pressure at the entrance to a convergent duct becomes approximately twice that at the exit of the duct. • At high mach numbers the pressure ratio across 	<p>1</p> <p>1</p> <p>1</p> <p>2</p> <p>1</p> <p>1</p>



Question Number	Solution	Marks Allocated
	<p>the duct will become greater than 2.0</p> <ul style="list-style-type: none"> In the diverging section, the gas velocity can be increased above the speed of sound. The diverging section of the convergent-divergent nozzle allows expansion outward but also holds in the expansion so that most of it is directed rearward  <p>fig: The ball analogy showing thrust increase by means of divergent nozzle</p>	<p>1</p> <hr/> <p>2</p> <hr/> <p>10</p>
<p>5</p>	<p>Types of compressor:-</p> <ul style="list-style-type: none"> centrifugal flow compressor Axial flow compressor centrifugal-axial flow compressor <p>(i) The centrifugal compressor consists of basically of an impeller and a diffuser manifold</p> <ul style="list-style-type: none"> As the impeller revolves at high speed, air is drawn in at inducer centrifugal force provides high speed The total compression is shared b/w the rotor and the diffuser does not work on the air  <p>(ii) The axial flow compressor is made up of a series of rotating airfoils called rotor blades and a stationary set of airfoils called stator vanes</p>  <ul style="list-style-type: none"> Some axial flow have two or more compressors or spools Axial compressors have the advantage of being capable of very high compression ratios with relatively very high efficiencies 	<p>2</p> <hr/> <p>2</p> <hr/> <p>10</p>

Question Number	Solution	Marks Allocated
6	<p>(##)</p> <p>Types of Burner types:- Burner type → i) can or tubular ii) Annular iii) can-annular</p> <p>(i)  (ii)  (iii) </p> <p>(ci)</p> <ul style="list-style-type: none"> Each can has its own fuel injector, ignitor, liner and casing. Primary air from the compressor is guided to each individual can, where it is decelerated, each can consists of its own air outlet with a flame tube inside. The chamber cans are all interconnected. <p>Advantages: low development cost, favorable fuel distribution, good accessibility for servicing</p> <p>Disadvantages: ignition problems may occur, particularly at high altitudes</p> <p>(cii) - some axial compressor engine have a single annular combustion chamber consist of a single flame tube.</p> <ul style="list-style-type: none"> In this combustion chamber fuel is introduced through a series of nozzles at the upstream end of the liner. <p>Advantages</p> <ul style="list-style-type: none"> low pressure losses small size good ignition behavior <p>Disadvantages</p> <ul style="list-style-type: none"> Maintenance & inspection are difficult Improper combustion due to uneven fuel air distribution <p>(ciii) - This type of combustion chamber design is used on many large turbojet and turbofan engines</p> <ul style="list-style-type: none"> Individual burner cans are placed side by side to form a circle of cans inside an annular space b/w. 	2



Subject Title: Gas turbine technology

Subject Code: 18AE642

Question Number	Solution	Marks Allocated
	<p>Advantages:-</p> <ul style="list-style-type: none"> * They are suitable for large engine and for mechanical reasons, engines with high pressure ratios. <p>Disadvantages:-</p> <ul style="list-style-type: none"> * The aerodynamic properties are inferior to that of an annular combustor. 	<p>1</p> <hr/> <p>10</p>
7	<ul style="list-style-type: none"> • strength:- creep strength, yield strength, Rupture strength, ultimate tensile strength. • Ductility - The ability of a metal to deform without bearing • Melting point - The temperature at which the metal becomes a liquid • Hardness - An important characteristic in that it influences ease of manufacture and therefore cost. • casting:- A process whereby metal, in a molten state. • Forging:- A process of plastic deformation under a pressure that may be slowly or quickly applied • Extrusion:- Metal is pushed through a die to form various cross-sectional shapes. • corrosion and oxidation resistance - An important factor that indicates how well a metal can resist the corrosive effects of the hot exhaust stream. 	<p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <p>1</p> <hr/> <p>10</p>
8	<p>(i) Thermal shock resistance:-</p> <ul style="list-style-type: none"> * Many materials otherwise quite suitable must be rejected because of their poor thermal shock characteristics * Several engine failure have been attributed to thermal shock on the turbine disk * improved fuel controls starting techniques and engine design have this problem <p>(ii) High-temperature strength:-</p> <ul style="list-style-type: none"> * The most highly stressed parts of the gas turbine 	<p>2</p> <p>2</p> <p>2</p> <hr/> <p>10</p>

Subject Title: Gas turbine technology


Subject Code: 18AE644

Question Number	Solution	Marks Allocated
9	<p>* Open air test bed</p> <ul style="list-style-type: none"> • This is considered basically of an open air stand supporting an engine & provide thrust measurement. • The effects of cross wind on entry conditions are neglected by a large mesh screen fitted around the engine inlet <p>* Ground testing of engine installed in aircraft</p> <ul style="list-style-type: none"> • power level * fuel shutoff value * EPR gauge * Percentage of rpm gauge * EGT / IIT gauge * fuel flow gauge * Torque meter gauge <p>* Jet thrust measurement in flight:</p> <ul style="list-style-type: none"> • One of the more common methods is called jet thrust flow measurement method. * Infrared radiation test: 	<p>2</p> <p>2</p> <p>2</p> <p>2</p> <p>2</p> <p>10</p>
10	<p>(i) one of the more common methods is called the jet flow measurement method. The method works reasonably well on all types of jet engines and can be used as a check on other methods.</p> <p>* The gross thrust is determined by measuring the engine pressure ratio (EPR) and solving for gross thrust by use of the equations</p>	<p>2</p> <p>2</p> <p>2</p>



Subject Title: Gas turbine technology

Subject Code: 18AE644

Question Number	Solution	Marks Allocated
	 <p>• Thrust coefficient is determined by measuring the engine gross thrust as a function of EPR.</p> <p>(ii) the CUSUM plots: changes in component manufacture or build practice may cause increasing numbers of engines to fall the pass off test. Identifying these changes early amongst the general scatter is challenging. Though some special instrumentation may be fitted for the pass off test.</p>	<p>2</p> <hr/> <p>10</p>
	<p>Cheruvu M.B 26/5/21 [Faculty Incharge]</p>	



Internal Test Question paper

Name of the staff/s: CHANDRIKA M B

Date: 06/08/2021

Signature:

Chandrika M B 6/8/21

Reviewer's Signature:

S.J.C. Institute of Technology
Department of Aeronautical Engineering

Test: III

Semester: VI

Subject Name & Code: GAS TURBINE TECHNOLOGY (18AE644)

Instructions

Date : 06-08-2021

Duration: 90 Minutes

Max Marks: 50

NOTE: 1. Answer all five main questions, choosing one full question from each main

2. Missing data if any, can be suitably assumed

Question Number		Marks	CO	Levels
1	Explain compressor map for testing and performance evaluation	10	CO3	L-3
OR				
2	Explain turbine map for testing and performance evaluation	10	CO3	L-3
3	Briefly explain RAM pressure recovery of inlets	10	CO3	L-2
OR				
4	Briefly explain effect of inlet distortion in aircraft	10	CO3	L-2
5	With a neat sketch explain altitude test facility	10	CO4	L-2
OR				
6	Briefly explain flying test bed used in testing of engines	10	CO4	L-2
7	Explain preliminary flight rating test & qualification test	10	CO4	L-2
OR				
8	Explain acceptance test reliability test	10	CO4	L-2



9	Write a short note on i. Open air test bed ii. Ground testing of engine installed in aircrafts	10	CO4	L-2
OR				
10	Write a short note on i. Jet thrust measurement in flight ii. CUSUM plot	10	CO4	L-2

COURSE OUTCOMES:

On successful completion of this course, students should be able to

CO1	Describe the types, applications, materials & Manufacturing Techniques and Parts used in various Gas Turbine engines.(L2)
CO2	Apply the principles of gas turbine technology to evaluate the performance of engines.(L3)
CO3	Evaluate the Testing and Performance parameters of different Components used in Gas turbine Engine.(L3)
CO4	Describe different types Engine Testing's used in Gas Turbine Engines .(L2)
CO5	Develop skills in doing Literature survey, Presentation and Report preparation for a given case study related to Gas turbine engines.(L4)



Internal Test Question paper

Name of the staff/s: CHANDRIKA M B

Date: 26/06/2021

Signature: *Chandrika MB 26/6/21*

Reviewer's Signature:

S.J.C. Institute of Technology
Department of Aeronautical Engineering

Test: II

Semester: VI

Subject Name & Code: GAS TURBINE TECHNOLOGY (18AE644)

Instructions

Date : 29-06-2021

Duration: 90 Minutes

Max Marks: 50

NOTE: 1. Answer all five main questions, choosing one full question from each main**2. Missing data if any, can be suitably assumed**

Question Number		Marks	CO	Levels
1	What is FADEC system? Explain FADEC interaction with engine	10	CO1	L-2
OR				
2	Explain the typical oil systems and their components used in gas turbine Engines	10	CO1	L-2
3	Explain the typical Fuel systems and their components used in gas turbine Engines	10	CO1	L-2
OR				
4	What are the different types of starting systems used in gas turbine engine and explain each	10	CO1	L-2
5	With a neat sketch explain the transient performance of a Aero gas turbine engine	10	CO2	L-2
OR				
6	Explain the thrust engine start envelope oru starting process	10	CO2	L-2
7	Define Surge margin and explain Surge margin required and Surge margin stack up.	10	CO2	L-2
OR				
8	Define windmilling and describe the process of windmill in a Turbojet engine	10	CO2	L-2



9	What are the different design point performance parameters used in gas turbine engines and Explain any two of them	10	CO2	L-2
OR				
10	Briefly explain the engine performance monitoring process	10	CO2	L-2

COURSE OUTCOMES:

On successful completion of this course, students should be able to

CO1	Describe the types, applications, materials & Manufacturing Techniques and Parts used in various Gas Turbine engines.(L2)
CO2	Apply the principles of gas turbine technology to evaluate the performance of engines.(L3)
CO3	Evaluate the Testing and Performance parameters of different Components used in Gas turbine Engine.(L3)
CO4	Describe different types Engine Testing's used in Gas Turbine Engines .(L2)
CO5	Develop skills in doing Literature survey, Presentation and Report preparation for a given case study related to Gas turbine engines.(L4)



Internal Test Question paper

Name of the staff/s: CHANDRIKA M B
Date: 26/05/2021
Signature: *Chandrika MB 26/5/21*

Reviewer's Signature: _____

**S.J.C. Institute of Technology
Department of Aeronautical Engineering**

Test: I

Semester: VI

Subject Name & Code: GAS TURBINE TECHNOLOGY (18AE644)

Instructions

Date : 28-05-2021

Duration: 90 Minutes

Max Marks: 50

NOTE: 1. Answer all five main questions, choosing one full question from each main

2. Missing data if any, can be suitably assumed

Question Number		Marks	CO	Levels
1	Briefly explain the working of turbojet engine and also mention the characteristics and advantages and disadvantages.	10	CO1	L-2
OR				
2	Draw a neat sketch of a turboprop engine and mark the salient parts and explain its working principle along with advantages and disadvantages.	10	CO1	L-2
3	Explain the following i. thrust reversal method ii. thrust augmentation	10	CO1	L-2
OR				
4	Explain the following i. sound separation techniques in Aircraft engine ii. convergent divergent nozzle	10	CO1	L-2
5	List different types of Compressors and explain any one type.	10	CO1	L-2

OR				
6	What are the different types of burners used in gas turbine engines explain with sketches? Also mention the merits and demerits of each	10	CO1	L-2
7	What are the characteristics that must be considered in selection of any metal used in gas turbines?	10	CO1	L-2
OR				
8	Write a short note on following i. Thermal shock resistance ii. High temperature strength iii. Resistance to corrosion and oxidation	10	CO1	L-2
9	Write in detail about the heat range of metals for Aero engine applications	10	CO1	L-2
OR				
10	Write a short note on ceramics and composite materials in gas turbine applications.	10	CO1	L-2

COURSE OUTCOMES:

On successful completion of this course, students should be able to

CO1	Describe the types, applications, materials & Manufacturing Techniques and Parts used in various Gas Turbine engines.(L2)
CO2	Apply the principles of gas turbine technology to evaluate the performance of engines.(L3)
CO3	Evaluate the Testing and Performance parameters of different Components used in Gas turbine Engine.(L3)
CO4	Describe different types Engine Testing's used in Gas Turbine Engines .(L2)
CO5	Develop skills in doing Literature survey, Presentation and Report preparation for a given case study related to Gas turbine engines.(L4)



Estd: 1986

|| Jai Sri Gurudev ||
Sri Adichunchanagiri Shikshana Trust *

SJC INSTITUTE OF TECHNOLOGY

Chickballapur – 562 101

Department of Aeronautical Engineering TUTORIAL-3

SUBJECT TITLE	GAS TURBINE TECHNOLOGY		
SUBJECT TYPE	ELECTIVE		
SUBJECT CODE	18AE644		
ACADEMIC YEAR	2021 (EVEN SEMESTER)	BATCH	2018-2022
SCHEME	CBCS scheme (Effective from the academic year 2018 -2019)		
SEMESTER	6- Aeronautical		
FACULTY NAME and DESIGNATION	CHANDRIKA M B, Assistant Professor.		

SI No	Questions	CO	Levels
MODULE - 4			
1	Briefly explain effect of inlet distortion in aircraft	CO3	L2
2	Explain compressor map for testing and performance evaluation	CO3	L3
3	Briefly explain flying test bed used in testing of engines	CO3	L2
4	Explain preliminary flight rating test & qualification test	CO3	L2
5	Explain turbine map for testing and performance evaluation	CO3	L3
6	Briefly explain RAM pressure recovery of inlets	CO3	L2
MODULE - 5			
7	Briefly explain flying test bed used in testing of engines	CO4	L2
8	Explain preliminary flight rating test & qualification test	CO4	L2
9	Explain acceptance test reliability test	CO4	L2

SJCTT

Tutorial

10	Write a short note on i. Open air test bed ii. Ground testing of engine installed in aircrafts	CO4	L2
11	Write a short note on i. Jet thrust measurement in flight ii. CUSUM plot	CO4	L2

Chandrababu 30/7/21
Faculty In-charge

HOD



Estd: 1986

|| Jai Sri Gurudev ||
Sri Adichunchanagiri Shikshana Trust ®

SJC INSTITUTE OF TECHNOLOGY

Chickballapur – 562 101

Department of Aeronautical Engineering TUTORIAL-2

SUBJECT TITLE	GAS TURBINE TECHNOLOGY		
SUBJECT TYPE	ELECTIVE		
SUBJECT CODE	18AE644		
ACADEMIC YEAR	2021 (EVEN SEMESTER)	BATCH	2018-2022
SCHEME	CBCS scheme (Effective from the academic year 2018 -2019)		
SEMESTER	6- Aeronautical		
FACULTY NAME and DESIGNATION	CHANDRIKA M B, Assistant Professor.		

SI No	Questions	CO	Levels
MODULE - 2			
1	What is FADEC system? Explain FADEC interaction with engine	CO1	L2
2	Explain the typical oil systems and their components used in gasturbine Engines	CO1	L2
3	Explain the typical Fuel systems and their components used in gas turbine Engines	CO1	L2
4	What are the different types of starting systems used in gasturbine engine and explain each	CO1	L2
MODULE - 3			
5	With a neat sketch explain the transient performance of a Aerogas turbine engine	CO2	L2
6	Define windmilling and describe the process of windmill in a Turbojet engine	CO2	L2

7	Define Surge margin and explain Surge margin required and Surge margin stack up.	CO2	L2
8	What are the different design point performance parameters used in gas turbine engines and Explain any two of them	CO2	L2
9	Explain the thrust engine start envelope and starting process	CO2	L2
10	Briefly explain the engine performance monitoring process	CO2	L2

Chandrasekhar B 26/6/21
Faculty In-charge

HOD



Estd: 1986

|| Jai Sri Gurudev ||
Sri Adichunchanagiri Shikshana Trust ®

SJC INSTITUTE OF TECHNOLOGY

Chickballapur – 562 101

Department of Aeronautical Engineering TUTORIAL-1

SUBJECT TITLE	GAS TURBINE TECHNOLOGY		
SUBJECT TYPE	ELECTIVE		
SUBJECT CODE	18AE644		
ACADEMIC YEAR	2021 (EVEN SEMESTER)	BATCH	2018-2022
SCHEME	CBCS scheme (Effective from the academic year 2018 -2019)		
SEMESTER	6- Aeronautical		
FACULTY NAME and DESIGNATION	CHANDRIKA M B, Assistant Professor.		

SI No	Questions	CO	Levels
MODULE - 1			
1	Draw a neat sketch of a turboprop engine and mark the salient parts and explain its working principle along with advantages and disadvantages.	CO1	L2
2	With a neat sketch explain the working of turbofan engine and also mention the characteristics and advantages and disadvantages	CO1	L2
3	Briefly explain the working of turbojet engine and also mention the characteristics and advantages and disadvantages	CO1	L2
4	What are the different types of burners used in gas turbine engines explain it with sketches write the merits and demerits of each	CO1	L2
5	List different types of Compressors and explain any one type.	CO1	L2
6	List and explain the effect of operating variables on burner performance	CO1	L2
7	What are the performance requirements of combustion chamber	CO1	L2

8	<p>Explain the following</p> <p>i. sound separation techniques in Aircraft engine</p> <p>ii. convergent divergent nozzle</p> <p>iii. thrust reversal method</p> <p>iv. thrust augmentation</p>	CO1	L2
MODULE - 2			
9	<p>Explain the criteria for selection of materials/ What are the characteristics that must be considered in selection of any metal used in gas turbines?</p>	CO1	L2
10	<p>Write a short note on ceramics and composite materials in gas turbine applications.</p>	CO1	L2
11	<p>Write in detail about the heat range of metals for Aero engine applications</p>	CO1	L2
12	<p>Write a short note on following</p> <p>i. Thermal shock resistance</p> <p>ii. High temperature strength</p> <p>iii. Resistance to corrosion and oxidation</p>	CO1	L2

Cheray MB 25/5/21
Faculty In-charge

HOD



Estd: 1986

|| Jai Sri Gurudev ||
Sri Adichunchanagiri Shikshana Trust ®

SJC INSTITUTE OF TECHNOLOGY

Chickballapur – 562 101

Department of Aeronautical Engineering

QUESTION BANK

SUBJECT TITLE	GAS TURBINE TECHNOLOGY		
SUBJECT TYPE	ELECTIVE		
SUBJECT CODE	18AE644		
ACADEMIC YEAR	2021 (EVEN SEMESTER)	BATCH	2018-2022
SCHEME	CBCS scheme (Effective from the academic year 2018 -2019)		
SEMESTER	6- Aeronautical		
FACULTY NAME and DESIGNATION	CHANDRIKA M B, Assistant Prof.		

<i>Module -1</i>			
<i>Q. No.</i>	<i>Questions</i>	<i>Bloom's LL</i>	<i>COs</i>
1	List different types of Compressors, Turbines and Combustion chambers.	L1	CO1
2	Draw a neat sketch of a turboprop engine and mark the salient parts and explain its working principle along with advantages and disadvantages	L2	CO1
3	With a neat sketch explain the working of turbofan engine and also mention the characteristics and advantages and disadvantages	L2	CO1
4	Briefly explain the working of turbojet engine and also mention the characteristics and advantages and disadvantages	L2	CO1
5	What are the different types of burners used in gas turbine engines explain it with sketches write the merits and demerits of each	L2	CO1
6	What are the performance requirements of combustion chamber	L2	CO1
7	Develop skills in doing Literature survey, Presentation and Report preparation for agiven case study related to Gas turbine engines	L4, L5&L6	CO5

<i>Module -2</i>			
<i>Q. No.</i>	<i>Questions</i>	<i>Bloom's LL</i>	<i>COs</i>
1	Define desirable properties of Materials.	L1	
2	Explain the criteria for selection of materials/ What are the characteristics that must be considered in selection of any metal used in gas turbines?	L2	
3	Write a short note on ceramics and composite materials in gas turbine applications	L2	
4	Write in detail about the heat range of metals for Aero engine applications	L2	
5	Write a short note on following i. Thermal shock resistance ii. High temperature strength iii. Resistance to corrosion and oxidation	L2	
6	What is FADEC system? Explain FADEC interaction with engine	L2	
7	Explain the typical oil systems and their components used in gas turbine Engines	L2	
8	Explain the typical Fuel systems and their components used in gas turbine Engines	L2	
9	What are the different types of starting systems used in gas turbine engine and explain each	L2	
10	Develop skills in doing Literature survey, Presentation and Report preparation for agiven case study related to Gas turbine engines	L4, L5&L6	

<i>Module -3</i>			
<i>Q. No.</i>	<i>Questions</i>	<i>Bloom's LL</i>	<i>COs</i>
1	With a neat sketch explain the transient performance of a Aero gas turbine engine	L1	
2	Define windmilling and describe the process of windmill in a Turbojet engine	L1	
3	Define Surge margin and explain Surge margin required and Surge margin stack up.	L1	
4	What are the different design point performance parameters used in gas	L2	

	turbine engines and Explain any two of them		
5	Explain the thrust engine start envelope are starting process	L2	
6	Briefly explain the engine performance monitoring process	L2	
7	Develop skills in doing Literature survey, Presentation and Report preparation for agiven case study related to Gas turbine engines	L4, L5&L6	

<i>Module -4</i>			
<i>Q. No.</i>	<i>Questions</i>	<i>Bloom's LL</i>	<i>COs</i>
1	Briefly explain effect of inlet distortion in aircraft	L2	
2	Briefly explain RAM pressure recovery of inlets	L2	
3	Explain compressor map for testing and performance evaluation	L3	
4	Explain turbine map for testing and performanceevaluation	L3	
5	Explain turbine rig set up for testing performance evaluation	L3	
6	Explain compressor rig set up for testing performance evaluation	L3	
7	Develop skills in doing Literature survey, Presentation and Report preparation for agiven case study related to Gas turbine engines	L4, L5&L6	

<i>Module -5</i>			
<i>Q. No.</i>	<i>Questions</i>	<i>Bloom's LL</i>	<i>COs</i>
1		L1	
2	Briefly explain flying test bed used in testing ofengines	L1	
3	Explain preliminary flight rating test & qualification test	L1	
4	Explain acceptance test reliability test	L2	
5	Write a short note on i.Open air test bed ii.Ground testing of engine installed in aircrafts	L2	
6	Write a short note on i.Jet thrust measurement in flight ii.CUSUM plat	L2	
7	Briefly explain flying test bed used in testing ofengines	L3	
8	Explain preliminary flight rating test & qualification test	L3	

SJCIT

Question Bank

9	Develop skills in doing Literature survey, Presentation and Report preparation for agiven case study related to Gas turbine engines	L4, L5&L6	
---	---	--------------	--

Chowdhury MB 22/4/21
Faculty In-Charge

HOD



Estd: 1986

|| Jai Sri Gurudev ||
Sri Adichunchanagiri Shikshana Trust ®

SJC INSTITUTE OF TECHNOLOGY

Chickballapur – 562 101

Department of Aeronautical Engineering ASSIGNMENT-3

SUBJECT TITLE	GAS TURBINE TECHNOLOGY		
SUBJECT TYPE	ELECTIVE		
SUBJECT CODE	18AE644		
ACADEMIC YEAR	2021 (EVEN SEMESTER)	BATCH	2018-2022
SCHEME	CBCS scheme (Effective from the academic year 2018 -2019)		
MARKS & DUE DATE	10 Marks -		
SEMESTER	6- Aeronautical		
FACULTY NAME and DESIGNATION	CHANDRIKA M B, Assistant Professor.		

Rubrics

Brief answer for each question with necessary diagrams	2M/question
Total Marks	10

Module -3

Q. No.	Questions	Bloom's LL	COs
1	Explain what do you mean by compressor map for testing and performance evaluation	L3	CO3
2	Explain turbine mapping for testing and performance evaluation	L3	CO3
3	What is RAM pressure recovery how it is important in improving or decreasing the engine performance	L2	CO3
4	What is the effect of inlet distortion in an aircraft	L2	CO3
5	Explain the testing and performance evaluation of ducts	L3	CO3
6	The following are the test data obtained after an engine Run. Find the corrected value of the above in order that a valid comparison can be made RPM =9465 , EGT=510° C, fuel flow =1814 kg/h, air mass flow=90.7kg/s	L3	CO3

	thrust=4536 kg, TSFC= 0.400, barometric pressure=102.6kPa, standard day pressure =101.3 kPa. Ambient temperature =27.8° C, standard day temperature =15° C.		
7	<p>Calculate surge for the following data:</p> <p>New production engine to engine working line variation =0 +/- 1.5 %</p> <p>Engine to engine surge line variation for production engine =0. +/- 4.0%</p> <p>In service working line deterioration= 2.0%</p> <p>In service surge line deterioration= 4.0%</p> <p>Control system fuel metering VIG v position etc= 0 +/- 1.0 %</p> <p>Reynolds number effect =1.0%</p> <p>Intake distortion =1.0%</p> <p>Transient allowance= 12.0%</p>	L3	CO3

Cherry MB 22/4/21
Faculty In-charge

HOD



Estd: 1986

|| Jai Sri Gurudev ||
Sri Adichunchanagiri Shikshana Trust *

SJC INSTITUTE OF TECHNOLOGY

Chickballapur – 562 101

Department of Aeronautical Engineering ASSIGNMENT-2

SUBJECT TITLE	GAS TURBINE TECHNOLOGY		
SUBJECT TYPE	ELECTIVE		
SUBJECT CODE	18AE644		
ACADEMIC YEAR	2021 (EVEN SEMESTER)	BATCH	2018-2022
SCHEME	CBCS scheme (Effective from the academic year 2018 -2019)		
MARKS & DUE DATE	10 Marks -		
SEMESTER	6- Aeronautical		
FACULTY NAME and DESIGNATION	CHANDRIKA M B, Assistant Professor.		

Rubrics

Brief answer for each question with necessary diagrams	2M/question
Total Marks	10

Module -4

Q. No.	Questions	Blooms LL	COs
1	Write a short note on 1.open air test bed 2.ground testing of engine installed in aircraft 3.Jet thrust measurement in flight	L2	CO4
2	Explain qualification test accepted test reliability test	L2	CO4
3	The observed parameters can be gathered during an engine run are RPM , EGT, thrust and TSFC. what is the corrected values of the above values	L2	CO4
4	What are the engine parameters instrumented and recorded during the test of an engine	L2	CO4
5	Explain methods of displacing equilibrium tests	L2	CO4
6	List the proof of concepts used in the process of engine testing explain	L2	CO4

	preliminary flight rating test(PFRT) in detail		
7	Explain the following 1.uncertainty analysis in Engineering Test 2.MASS and CUSUM plots for engine testing	L2	CO4
8	What are the major factors that should be taken into account during the design of a test bed	L2	CO4
9	What is the flying test bed and what are the advantages	L2	CO4

Cherry MB 22/4/21
Faculty In-charge

HOD